

# NRCS Colorado Table 1€

## Surface Area of Nonfederal and Federal € Land & Water Areas, by County and Year €

County	Year	Federal Land	Water Areas	Nonfederal Land		Total Surface Area
				Developed	Rural	
				1,000 Acres		
08001 CO Adams	1982	6.8	103.0	736.0	865.7	
		(1.8)	(10.4)	(17.5)	(10.9)	
	1987	7.0	113.2	725.6	865.7	
		(1.8)	(13.4)	(19.7)	(10.9)	
	1992	7.0	126.8	712.0	865.7	
		(1.8)	(14.2)	(20.4)	(10.9)	
08003 CO Alamosa	1982	1.4	6.9	365.5	463.1	
		(0.3)	(1.7)	(11.6)	(11.7)	
	1987	1.4	7.1	362.3	463.1	
		(0.3)	(1.7)	(11.6)	(11.7)	
	1992	1.9	8.9	362.4	463.1	
		(0.5)	(2.5)	(12.2)	(11.7)	
08005 CO Arapahoe	1982	2.5	53.7	454.6	515.5	
		(0.4)	(14.2)	(16.1)	(7.5)	
	1987	2.6	77.7	427.6	515.5	
		(0.4)	(14.5)	(13.3)	(7.5)	
	1992	2.4	82.6	422.9	515.5	
		(0.5)	(15.8)	(13.9)	(7.5)	
08007 CO Archuleta	1982	4.8	16.4	403.8	867.0	
		(0.6)	(7.2)	(34.4)	(31.2)	
	1987	4.8	21.5	398.7	867.0	
		(0.6)	(7.2)	(34.1)	(31.2)	
	1992	4.8	21.5	395.5	867.0	
		(0.6)	(7.2)	(34.1)	(31.2)	

08009 CO Baca	1997	4.8	21.9	395.1	867.0
		(0.6)	(7.2)	(34.1)	(31.2)
	1982	2.5	17.6	1411.5	1636.7
		(0.9)	(1.9)	(31.7)	(32.3)
	1987	2.5	17.8	1411.3	1636.7
		(0.9)	(1.9)	(31.8)	(32.3)
08011 CO Bent	1992	2.5	17.8	1411.3	1636.7
		(0.9)	(1.9)	(31.8)	(32.3)
	1997	2.5	17.8	1411.3	1636.7
		(0.9)	(1.9)	(31.8)	(32.3)
	1982	20.5	11.0	942.9	986.4
		(11.9)	(2.0)	(26.5)	(28.0)
08013 CO Boulder	1987	20.5	11.0	942.9	986.4
		(11.9)	(2.0)	(26.5)	(28.0)
	1992	20.5	11.2	942.7	986.4
		(11.9)	(2.1)	(26.6)	(28.0)
	1997	20.5	11.4	942.5	986.4
		(11.9)	(2.2)	(26.5)	(28.0)
08015 CO Chaffee	1982	8.5	53.5	250.6	480.9
		(2.3)	(18.4)	(35.8)	(39.8)
	1987	8.5	58.7	245.4	480.9
		(2.3)	(19.2)	(36.4)	(39.8)
	1992	8.7	66.4	237.5	480.9
		(2.3)	(17.7)	(33.4)	(39.8)
08017 CO Cheyenne	1997	8.7	76.0	227.9	480.9
		(2.3)	(17.9)	(34.5)	(39.8)
	1982	1.7	12.0	143.0	649.6
		(0.6)	(2.2)	(10.6)	(14.1)
	1987	1.7	12.1	135.6	649.6
		(0.6)	(2.0)	(10.3)	(14.1)
08019 CO Clear Creek	1992	1.7	12.1	136.3	649.6
		(0.6)	(2.0)	(10.3)	(14.1)
	1997	1.7	12.3	136.2	649.6
		(0.6)	(2.0)	(10.3)	(14.1)
	1982	0.3	19.9	1120.0	1140.2
		(0.2)	(4.3)	(24.8)	(22.7)
08019 CO Clear Creek	1987	0.3	20.0	1119.9	1140.2
		(0.2)	(4.3)	(24.8)	(22.7)
	1992	0.3	20.0	1119.9	1140.2
		(0.2)	(4.3)	(24.8)	(22.7)
	1997	0.3	20.5	1119.4	1140.2
		(0.2)	(4.2)	(24.7)	(22.7)
08019 CO Clear Creek	1982	0.6	4.9	80.8	253.7

		(0.3)	(3.0)	(2.6)	(3.0)
	1987	0.6	5.2	72.1	253.7
		(0.3)	(2.9)	(2.3)	(3.0)
	1992	0.6	6.1	71.2	253.7
		(0.3)	(2.9)	(1.8)	(3.0)
	1997	0.6	6.7	70.6	253.7
		(0.3)	(3.2)	(1.8)	(3.0)
08021 CO Conejos	1982	4.3	8.8	324.6	826.3
		(0.8)	(2.8)	(16.3)	(18.0)
	1987	3.3	8.5	330.2	826.3
		(0.8)	(2.8)	(16.2)	(18.0)
	1992	4.0	8.5	329.5	826.3
		(1.1)	(2.8)	(16.0)	(18.0)
	1997	4.0	8.6	329.4	826.3
		(1.1)	(2.8)	(16.1)	(18.0)
08023 CO Costilla	1982	4.9	14.9	767.0	787.5
		(0.8)	(2.9)	(67.0)	(67.9)
	1987	4.9	17.3	764.6	787.5
		(0.8)	(2.6)	(67.7)	(67.9)
	1992	4.9	17.3	764.6	787.5
		(0.8)	(2.6)	(67.7)	(67.9)
	1997	4.9	17.3	764.6	787.5
		(0.8)	(2.6)	(67.7)	(67.9)
08025 CO Crowley	1982	8.5	6.3	494.1	512.3
		(1.7)	(0.9)	(34.0)	(34.1)
	1987	8.5	6.3	494.1	512.3
		(1.7)	(0.9)	(34.0)	(34.1)
	1992	8.5	6.3	494.1	512.3
		(1.7)	(0.9)	(34.0)	(34.1)
	1997	8.5	6.3	494.1	512.3
		(1.7)	(0.9)	(34.0)	(34.1)
08027 CO Custer	1982	0.7	23.0	273.3	473.5
		(0.4)	(19.2)	(11.3)	(19.0)
	1987	0.7	23.0	273.3	473.5
		(0.4)	(19.2)	(11.3)	(19.0)
	1992	0.7	23.0	273.2	473.5
		(0.4)	(19.2)	(11.3)	(19.0)
	1997	0.7	23.1	273.6	473.5
		(0.4)	(19.1)	(11.4)	(19.0)
08029 CO Delta	1982	2.7	4.7	329.5	735.2
		(0.3)	(1.0)	(8.0)	(7.9)
	1987	2.7	6.0	328.5	735.2
		(0.3)	(1.3)	(8.1)	(7.9)

	1992	2.7	6.0	328.5	735.2
		(0.3)	(1.3)	(8.1)	(7.9)
	1997	2.7	6.5	329.2	735.2
		(0.3)	(1.4)	(8.1)	(7.9)
08031 CO Denver	1982	0.0	0.0	0.0	0.0
		(0.0)	(0.0)	(0.0)	(0.0)
	1987	0.0	0.0	0.0	0.0
		(0.0)	(0.0)	(0.0)	(0.0)
	1992	0.0	0.0	0.0	0.0
		(0.0)	(0.0)	(0.0)	(0.0)
	1997	0.0	0.0	0.0	0.0
		(0.0)	(0.0)	(0.0)	(0.0)
08033 CO Dolores	1982	1.5	2.8	263.1	683.6
		(0.7)	(0.5)	(15.4)	(15.5)
	1987	1.5	2.8	262.8	683.6
		(0.7)	(0.5)	(15.4)	(15.5)
	1992	1.8	2.8	262.5	683.6
		(0.7)	(0.5)	(15.6)	(15.5)
	1997	1.8	2.8	262.5	683.6
		(0.7)	(0.5)	(15.6)	(15.5)
08035 CO Douglas	1982	3.7	44.3	350.8	539.4
		(1.1)	(16.2)	(18.5)	(5.7)
	1987	3.7	56.7	338.4	539.4
		(1.1)	(14.7)	(17.5)	(5.7)
	1992	4.7	69.5	324.5	539.4
		(1.1)	(14.1)	(17.3)	(5.7)
	1997	4.7	78.7	315.3	539.4
		(1.1)	(14.6)	(18.1)	(5.7)
08037 CO Eagle	1982	3.8	12.4	259.0	1082.8
		(0.8)	(5.3)	(30.8)	(29.4)
	1987	3.8	17.1	214.6	1082.8
		(0.8)	(6.1)	(33.5)	(29.4)
	1992	4.3	24.1	207.1	1082.8
		(0.7)	(6.6)	(34.9)	(29.4)
	1997	4.3	26.1	205.1	1082.8
		(0.7)	(6.1)	(34.5)	(29.4)
08039 CO Elbert	1982	0.7	20.1	1163.8	1184.6
		(0.3)	(11.7)	(54.8)	(59.1)
	1987	0.7	20.5	1163.4	1184.6
		(0.3)	(11.6)	(55.0)	(59.1)
	1992	0.7	20.3	1163.6	1184.6
		(0.3)	(11.4)	(55.1)	(59.1)
	1997	0.7	21.8	1162.1	1184.6

		(0.3)	(11.3)	(55.1)	(59.1)
08041 CO El Paso	1982	2.0	108.4	1050.1	1363.1
		(0.6)	(27.9)	(58.2)	(58.3)
	1987	2.0	132.8	1025.2	1363.1
		(0.6)	(33.9)	(54.5)	(58.3)
	1992	2.0	174.8	983.2	1363.1
		(0.6)	(39.8)	(59.1)	(58.3)
08043 CO Fremont	1997	2.0	186.7	971.3	1363.1
		(0.6)	(42.8)	(60.4)	(58.3)
	1982	1.5	14.5	510.3	981.8
		(0.4)	(4.2)	(38.1)	(37.3)
	1987	1.5	14.5	510.3	981.8
		(0.4)	(4.2)	(38.1)	(37.3)
08045 CO Garfield	1992	1.5	18.5	520.5	981.8
		(0.4)	(5.4)	(37.3)	(37.3)
	1997	1.5	22.0	517.1	981.8
		(0.4)	(6.4)	(38.1)	(37.3)
	1982	6.0	22.2	641.0	1891.9
		(2.2)	(6.8)	(36.6)	(60.2)
08047 CO Gilpin	1987	6.0	22.2	707.9	1891.9
		(2.2)	(6.8)	(36.7)	(60.2)
	1992	6.0	22.2	685.3	1891.9
		(2.2)	(6.8)	(36.6)	(60.2)
	1997	6.0	28.3	680.2	1891.9
		(2.2)	(7.0)	(37.7)	(60.2)
08049 CO Grand	1982	0.4	2.7	52.4	96.1
		(0.2)	(1.7)	(2.6)	(1.8)
	1987	0.4	2.7	52.4	96.1
		(0.2)	(1.7)	(2.6)	(1.8)
	1992	0.4	2.7	52.7	96.1
		(0.2)	(1.7)	(2.6)	(1.8)
08051 CO Gunnison	1997	0.4	2.9	52.5	96.1
		(0.2)	(1.7)	(2.5)	(1.8)
	1982	13.7	22.8	389.9	1196.6
		(6.1)	(8.8)	(59.0)	(65.5)
	1987	13.9	25.3	393.8	1196.6
		(6.3)	(10.3)	(59.4)	(65.5)
08051 CO Gunnison	1992	13.9	25.3	355.8	1196.6
		(6.3)	(10.3)	(59.4)	(65.5)
	1997	14.3	26.0	354.7	1196.6
		(5.9)	(10.2)	(59.6)	(65.5)
	1982	13.7	12.8	441.9	2086.4
		(10.7)	(3.4)	(44.2)	(46.0)

	1987	13.7	13.3	440.0	2086.4
		(10.7)	(3.6)	(44.2)	(46.0)
	1992	13.7	13.3	440.0	2086.4
		(10.7)	(3.6)	(44.2)	(46.0)
	1997	13.7	13.5	440.7	2086.4
		(10.7)	(3.6)	(44.3)	(46.0)
08053 CO Hinsdale	1982	4.6	0.2	33.5	718.9
		(1.0)	(0.1)	(3.1)	(4.7)
	1987	4.6	1.3	32.4	718.9
		(1.0)	(0.6)	(2.5)	(4.7)
	1992	4.6	1.5	30.8	718.9
		(1.0)	(0.5)	(2.6)	(4.7)
	1997	4.6	1.5	30.8	718.9
		(1.0)	(0.5)	(2.6)	(4.7)
08055 CO Huerfano	1982	2.6	8.9	795.9	1019.7
		(0.5)	(3.0)	(51.3)	(50.6)
	1987	2.6	8.9	795.9	1019.7
		(0.5)	(3.0)	(51.3)	(50.6)
	1992	2.6	9.1	795.7	1019.7
		(0.5)	(3.2)	(51.3)	(50.6)
	1997	2.6	9.6	795.2	1019.7
		(0.5)	(3.0)	(51.1)	(50.6)
08057 CO Jackson	1982	5.7	6.4	486.7	1037.5
		(0.8)	(1.6)	(36.8)	(36.6)
	1987	5.9	6.6	485.3	1037.5
		(0.8)	(1.6)	(36.7)	(36.6)
	1992	5.9	6.6	485.3	1037.5
		(0.8)	(1.6)	(36.7)	(36.6)
	1997	5.9	6.9	485.0	1037.5
		(0.8)	(1.8)	(36.7)	(36.6)
08059 CO Jefferson	1982	6.3	94.2	290.0	498.1
		(1.5)	(12.9)	(14.7)	(6.5)
	1987	6.3	104.5	279.3	498.1
		(1.5)	(14.7)	(15.8)	(6.5)
	1992	6.3	124.1	259.8	498.1
		(1.5)	(12.8)	(14.8)	(6.5)
	1997	6.3	133.3	250.6	498.1
		(1.5)	(14.5)	(16.2)	(6.5)
08061 CO Kiowa	1982	16.3	15.4	1108.6	1142.9
		(0.7)	(5.3)	(36.4)	(36.5)
	1987	16.3	15.4	1108.6	1142.9
		(0.7)	(5.3)	(36.4)	(36.5)
	1992	9.2	16.0	1115.1	1142.9

		(1.6)	(5.4)	(36.5)	(36.5)
	1997	9.2	17.9	1113.2	1142.9
		(1.6)	(5.3)	(37.0)	(36.5)
08063 CO Kit Carson	1982	0.6	18.0	1364.9	1383.5
		(0.3)	(3.2)	(23.6)	(22.8)
	1987	0.6	18.2	1364.7	1383.5
		(0.3)	(3.2)	(23.6)	(22.8)
	1992	3.7	18.2	1361.6	1383.5
		(2.4)	(3.2)	(24.6)	(22.8)
	1997	4.1	19.1	1360.3	1383.5
		(2.4)	(3.2)	(24.5)	(22.8)
08065 CO Lake	1982	4.7	3.0	68.5	245.7
		(0.7)	(2.2)	(3.5)	(1.9)
	1987	4.7	3.0	70.5	245.7
		(0.7)	(2.2)	(3.4)	(1.9)
	1992	4.7	3.2	64.1	245.7
		(0.7)	(2.1)	(3.4)	(1.9)
	1997	4.7	3.3	64.0	245.7
		(0.7)	(2.2)	(3.5)	(1.9)
08067 CO La Plata	1982	6.9	20.9	640.6	1088.1
		(2.7)	(6.6)	(12.6)	(9.7)
	1987	6.9	36.2	625.3	1088.1
		(2.7)	(10.9)	(15.9)	(9.7)
	1992	7.0	37.1	624.3	1088.1
		(2.7)	(11.6)	(16.5)	(9.7)
	1997	7.0	39.3	622.1	1088.1
		(2.7)	(12.5)	(17.4)	(9.7)
08069 CO Larimer	1982	21.4	49.7	833.8	1685.7
		(1.7)	(12.8)	(60.8)	(58.4)
	1987	21.8	60.7	821.7	1685.7
		(2.0)	(13.1)	(59.9)	(58.4)
	1992	22.4	73.5	798.8	1685.7
		(2.3)	(14.0)	(59.0)	(58.4)
	1997	22.9	79.5	792.3	1685.7
		(2.6)	(13.6)	(59.9)	(58.4)
08071 CO Las Animas	1982	15.8	33.3	2926.6	3056.5
		(8.7)	(14.1)	(275.8)	(281.8)
	1987	15.8	34.2	2687.1	3056.5
		(8.7)	(13.9)	(276.0)	(281.8)
	1992	15.8	34.2	2687.1	3056.5
		(8.7)	(13.9)	(276.0)	(281.8)
	1997	15.8	34.2	2687.1	3056.5
		(8.7)	(13.9)	(276.0)	(281.8)

08073 CO Lincoln	1982	0.3 (0.2)	17.5 (4.6)	1635.6 (43.4)	1655.4 (43.7)
	1987	0.3 (0.2)	19.0 (5.2)	1634.1 (43.6)	1655.4 (43.7)
	1992	0.3 (0.2)	19.0 (5.2)	1634.1 (43.6)	1655.4 (43.7)
	1997	0.3 (0.2)	19.4 (5.5)	1633.9 (43.6)	1655.4 (43.7)
08075 CO Logan	1982	4.8 (2.2)	17.8 (1.4)	1157.9 (61.4)	1180.8 (62.0)
	1987	4.8 (2.2)	17.8 (1.4)	1157.9 (61.4)	1180.8 (62.0)
	1992	4.8 (2.2)	17.8 (1.4)	1157.9 (61.4)	1180.8 (62.0)
	1997	6.4 (2.6)	17.9 (1.4)	1156.3 (60.9)	1180.8 (62.0)
08077 CO Mesa	1982	28.4 (8.5)	20.8 (3.0)	504.0 (19.0)	2138.4 (40.5)
	1987	28.4 (8.5)	28.2 (3.0)	539.2 (19.4)	2138.4 (40.5)
	1992	28.5 (8.5)	30.3 (4.2)	537.0 (19.6)	2138.4 (40.5)
	1997	28.7 (8.5)	38.8 (4.4)	528.3 (19.6)	2138.4 (40.5)
08079 CO Mineral	1982	1.4 (0.6)	1.4 (0.7)	33.0 (2.3)	561.8 (2.7)
	1987	1.4 (0.6)	1.4 (0.7)	33.0 (2.3)	561.8 (2.7)
	1992	1.4 (0.6)	2.2 (1.2)	33.2 (2.6)	561.8 (2.7)
	1997	1.4 (0.6)	2.2 (1.2)	33.2 (2.6)	561.8 (2.7)
08081 CO Moffat	1982	6.8 (1.9)	11.9 (2.3)	1293.3 (169.1)	3040.8 (171.0)
	1987	6.8 (1.9)	11.9 (2.3)	1293.3 (169.1)	3040.8 (171.0)
	1992	8.6 (2.3)	12.7 (2.4)	1290.6 (168.5)	3040.8 (171.0)
	1997	8.6 (2.3)	12.8 (2.3)	1290.5 (168.5)	3040.8 (171.0)
08083 CO Montezuma	1982	2.5 (0.4)	8.5 (2.0)	805.8 (33.4)	1305.7 (33.2)
	1987	3.0	9.2	804.3	1305.7

		(0.5)	(2.7)	(33.4)	(33.2)
	1992	3.0	9.3	804.2	1305.7
		(0.5)	(2.7)	(33.4)	(33.2)
	1997	3.0	10.1	803.4	1305.7
		(0.5)	(2.7)	(33.7)	(33.2)
08085 CO Montrose	1982	4.3	9.1	450.3	1435.3
		(2.3)	(1.7)	(53.8)	(55.2)
	1987	4.3	9.6	449.8	1435.3
		(2.3)	(2.0)	(53.8)	(55.2)
	1992	4.3	9.6	449.8	1435.3
		(2.3)	(2.0)	(53.8)	(55.2)
	1997	4.5	11.7	448.9	1435.3
		(2.3)	(2.5)	(54.1)	(55.2)
08087 CO Morgan	1982	5.5	17.1	805.1	828.2
		(2.1)	(2.8)	(19.9)	(19.1)
	1987	5.5	17.5	804.7	828.2
		(2.1)	(2.9)	(19.9)	(19.1)
	1992	5.6	18.0	804.1	828.2
		(2.2)	(2.9)	(19.9)	(19.1)
	1997	5.6	19.2	802.9	828.2
		(2.2)	(3.3)	(20.0)	(19.1)
08089 CO Otero	1982	4.5	15.7	634.8	812.6
		(1.4)	(4.0)	(26.5)	(23.8)
	1987	4.5	16.3	626.9	812.6
		(1.4)	(3.9)	(26.5)	(23.8)
	1992	5.2	17.6	624.9	812.6
		(1.5)	(4.5)	(27.0)	(23.8)
	1997	5.2	17.7	624.8	812.6
		(1.5)	(4.5)	(26.9)	(23.8)
08091 CO Ouray	1982	1.2	4.5	191.8	347.1
		(0.4)	(3.0)	(9.7)	(10.0)
	1987	1.2	4.5	188.2	347.1
		(0.4)	(3.0)	(9.7)	(10.0)
	1992	1.2	4.7	188.0	347.1
		(0.4)	(3.0)	(9.7)	(10.0)
	1997	2.3	4.8	187.6	347.1
		(1.2)	(3.0)	(9.7)	(10.0)
08093 CO Park	1982	6.7	19.4	667.4	1414.9
		(1.0)	(5.2)	(33.0)	(32.8)
	1987	7.5	19.7	667.2	1414.9
		(1.0)	(5.2)	(33.0)	(32.8)
	1992	7.5	19.7	668.6	1414.9
		(1.0)	(5.2)	(33.0)	(32.8)

	1997	7.5	20.3	668.0	1414.9
		(1.0)	(5.1)	(33.0)	(32.8)
08095 CO Phillips	1982	0.3	7.8	432.1	440.2
		(0.2)	(0.5)	(6.6)	(6.5)
	1987	0.7	7.8	431.7	440.2
		(0.4)	(0.5)	(6.5)	(6.5)
	1992	0.7	8.0	431.5	440.2
		(0.4)	(0.6)	(6.6)	(6.5)
	1997	0.7	8.0	431.5	440.2
		(0.4)	(0.6)	(6.6)	(6.5)
08097 CO Pitkin	1982	2.0	11.3	95.5	622.9
		(0.6)	(4.0)	(2.4)	(3.4)
	1987	2.0	12.4	94.5	622.9
		(0.6)	(4.3)	(2.9)	(3.4)
	1992	2.0	14.2	93.1	622.9
		(0.6)	(5.8)	(4.4)	(3.4)
	1997	2.0	14.6	92.7	622.9
		(0.6)	(5.9)	(4.4)	(3.4)
08099 CO Prowers	1982	3.5	17.0	1031.4	1052.5
		(1.5)	(5.3)	(48.9)	(48.6)
	1987	3.5	17.0	1031.4	1052.5
		(1.5)	(5.3)	(48.9)	(48.6)
	1992	3.5	17.0	1031.4	1052.5
		(1.5)	(5.3)	(48.9)	(48.6)
	1997	3.5	17.1	1031.3	1052.5
		(1.5)	(5.3)	(49.0)	(48.6)
08101 CO Pueblo	1982	11.1	50.1	1354.5	1534.6
		(2.9)	(25.5)	(70.6)	(78.8)
	1987	11.1	52.0	1352.6	1534.6
		(2.9)	(25.3)	(71.5)	(78.8)
	1992	11.1	52.3	1350.5	1534.6
		(2.9)	(25.2)	(71.6)	(78.8)
	1997	11.2	54.1	1348.6	1534.6
		(2.9)	(26.6)	(71.6)	(78.8)
08103 CO Rio Blanco	1982	5.0	6.4	512.3	2062.8
		(1.3)	(1.6)	(108.2)	(108.1)
	1987	5.2	6.4	546.1	2062.8
		(1.3)	(1.6)	(108.2)	(108.1)
	1992	5.2	6.5	537.1	2062.8
		(1.3)	(1.6)	(108.2)	(108.1)
	1997	5.2	6.5	537.7	2062.8
		(1.3)	(1.6)	(108.2)	(108.1)
08105 CO Rio Grande	1982	1.8	6.9	235.3	584.4

		(0.5)	(3.3)	(11.3)	(10.6)
	1987	1.8	7.4	234.8	584.4
		(0.5)	(3.5)	(11.5)	(10.6)
	1992	1.8	7.9	235.0	584.4
		(0.5)	(3.7)	(11.7)	(10.6)
	1997	1.9	8.3	234.5	584.4
		(0.6)	(3.8)	(11.8)	(10.6)
08107 CO Routt	1982	5.0	14.6	818.1	1515.7
		(1.3)	(3.2)	(102.9)	(104.2)
	1987	5.0	15.1	823.9	1515.7
		(1.3)	(3.2)	(102.9)	(104.2)
	1992	5.7	15.3	823.0	1515.7
		(1.4)	(3.2)	(102.9)	(104.2)
	1997	5.7	15.4	822.9	1515.7
		(1.4)	(3.2)	(102.9)	(104.2)
08109 CO Saguache	1982	5.0	6.3	686.3	2029.1
		(3.0)	(1.0)	(22.0)	(21.4)
	1987	5.0	6.9	674.8	2029.1
		(3.0)	(1.5)	(21.5)	(21.4)
	1992	5.0	7.1	673.9	2029.1
		(3.0)	(1.5)	(21.6)	(21.4)
	1997	5.0	8.2	672.9	2029.1
		(3.0)	(1.7)	(21.0)	(21.4)
08111 CO San Juan	1982	0.5	1.8	26.8	248.5
		(0.3)	(1.4)	(2.1)	(2.3)
	1987	0.5	1.8	26.8	248.5
		(0.3)	(1.4)	(2.1)	(2.3)
	1992	0.5	1.8	26.8	248.5
		(0.3)	(1.4)	(2.1)	(2.3)
	1997	0.5	1.8	26.8	248.5
		(0.3)	(1.4)	(2.1)	(2.3)
08113 CO San Miguel	1982	2.1	6.7	326.3	824.6
		(0.5)	(1.7)	(17.9)	(17.6)
	1987	2.1	10.4	322.6	824.6
		(0.5)	(4.3)	(14.7)	(17.6)
	1992	2.3	13.5	322.0	824.6
		(0.6)	(5.6)	(15.9)	(17.6)
	1997	2.3	13.5	324.1	824.6
		(0.6)	(5.6)	(16.1)	(17.6)
08115 CO Sedgwick	1982	1.5	5.5	344.7	351.8
		(0.9)	(1.1)	(5.8)	(5.5)
	1987	1.5	7.3	342.9	351.8
		(0.9)	(2.1)	(5.7)	(5.5)

	1992	1.5 (0.9)	7.5 (2.1)	342.7 (5.7)	351.8 (5.5)
	1997	1.5 (0.9)	7.5 (2.1)	342.7 (5.7)	351.8 (5.5)
08117 CO Summit	1982	6.6 (1.3)	14.8 (5.5)	66.0 (4.6)	396.4 (5.1)
	1987	6.6 (1.3)	15.4 (6.0)	69.6 (4.9)	396.4 (5.1)
	1992	6.8 (1.3)	17.2 (6.3)	65.0 (5.0)	396.4 (5.1)
	1997	6.8 (1.3)	18.4 (6.6)	63.8 (5.5)	396.4 (5.1)
08119 CO Teller	1982	2.0 (0.2)	4.1 (1.2)	194.1 (8.8)	357.7 (8.8)
	1987	2.0 (0.2)	4.2 (1.2)	194.1 (8.8)	357.7 (8.8)
	1992	2.0 (0.2)	15.5 (8.4)	183.4 (12.8)	357.7 (8.8)
	1997	2.0 (0.2)	16.8 (8.0)	182.1 (12.7)	357.7 (8.8)
08121 CO Washington	1982	2.6 (1.6)	26.0 (5.9)	1586.7 (142.3)	1615.6 (146.4)
	1987	2.6 (1.6)	26.0 (5.9)	1586.7 (142.3)	1615.6 (146.4)
	1992	2.6 (1.6)	26.0 (5.9)	1586.7 (142.3)	1615.6 (146.4)
	1997	2.6 (1.6)	26.0 (5.9)	1586.7 (142.3)	1615.6 (146.4)
08123 CO Weld	1982	16.1 (3.4)	63.0 (17.7)	2286.9 (130.1)	2573.9 (125.8)
	1987	16.1 (3.4)	60.4 (18.2)	2289.5 (130.2)	2573.9 (125.8)
	1992	16.1 (3.4)	60.4 (18.2)	2289.5 (130.2)	2573.9 (125.8)
	1997	16.1 (3.4)	61.1 (18.2)	2288.8 (130.2)	2573.9 (125.8)
08125 CO Yuma	1982	4.1 (2.1)	22.3 (2.7)	1489.6 (49.0)	1516.3 (48.9)
	1987	4.1 (2.1)	22.3 (2.7)	1489.6 (49.0)	1516.3 (48.9)
	1992	4.1 (2.1)	22.7 (3.0)	1489.2 (49.2)	1516.3 (48.9)
	1997	4.1	22.9	1489.0	1516.3

Total		(2.1)	(3.0)	(49.2)	(48.9)€
	1982	338.2	1277.9	41434.2	66624.5
		(13.8)	(65.8)	(472.6)	(476.1)
	1987	340.2	1430.2	41121.9	66624.5
		(13.9)	(70.5)	(472.9)	(476.1)
	1992	343.7	1585.3	40892.6	66624.5
		(14.2)	(74.3)	(473.2)	(476.1)
	1997	350.5	1705.6	40774.6	66624.5
		(14.4)	(77.7)	(473.9)	(476.1)

NOTES: Total estimates may be adjusted to account for rounding.

The error referred to in the table is the standard error of the estimate.

You can obtain the margin of error at the 95% confidence limit by multiplying the error by 1.96.